

DIGIEVER Network Camera Compatibility List

The list is applied for DIGIEVER NVR firmware 77-1 version or later

Update: May. 2024

- DIGIEVER NVR supports the camera feature
- Ⓟ 360° Panoramic
- ◆ Camera takes more than 1CH, needed to be added via video sever method
- IVA Event No.:
- 1. Audio Detection
- 2. Advanced Motion Detection
- 3. Human Detection
- 4. Cross Line Detection
- * Camera does not support the feature
- Ⓢ NVR support camera hardware dewarp
- Blank means the feature is NOT supported or verified by DIGIEVER
- Ⓢ NVR support camera software dewarp
- 5. Intrusion Detection
- 6. Loitering Detection
- 7. Foreign Object Detection
- 8. Missing Object Detection
- 9. People Counting Threshold Alarm
- 10. Temperature Detection
- 11. Camera Tampering Detection
- 12. Object Status Change

Supported in the NVR latest version

Copyright © DIGIEVER Corporation All Rights Reserved

* Please contact DIGIEVER sales for updated information

Brand	Camera Model	Compression				Zoom Control				Motion Detection	Digital Input	Audio (Besides HTTP)	Two-way Audio	Edge Record (RTSP)	Supported IVA	AI Search (Metadata)	Advanced Right-Click Menu	Camera Firmware/ Note
		MJPEG	MPEG-4	H.264	H.265	Pan/Tilt	Optical Zoom	Digital Zoom										
Brickcom	Brickcom cameras																	
	Brickcom CB-100Ae	●	●	●	*	*	*	●	●	*	●							
	Brickcom CB-100Ae-VGA	●	●	●	*	*	*	●	●	*	●							
	Brickcom CB-100AP	●	●	●	*	*	*	●	●	*	●							
	Brickcom CB-101Ap	●	●	●	*	*	*	●	●	●	●							
	Brickcom CB-102Ae	●	●	●	*	*	*	●	●	●	●							
	Brickcom CB-102Ap	●	●	●	*	*	*	●	●	●	●							
	Brickcom CB-200Ap	●	●	●	*	*	*	●	●	●	●							
	Brickcom CB-202Ap	●	●	●	*	*	*	●	●	●	●							
	Brickcom CB-300Ap	●	●	●	*	*	*	●	●	●	●							
	Brickcom CB-302Ap	●	●	●	*	*	*	●	●	●	●							
	Brickcom CB-500Ap	●	●	●	*	*	*	●	●	●	●							
	Brickcom CB-500Ap-360	●	●	●	*	*	*	●	●	●	●							
	Brickcom CB-500Ap-360P	●	●	●	*	*	*	●	●	●	●							
	Brickcom CB-502Ap	●	●	●	*	*	*	●	●	●	●							
	Brickcom FB-100Ae	●	●	●	*	*	*	●	●	●	●							
	Brickcom FB-100AP	●	●	●	*	*	*	●	●	●	●							
	Brickcom FB-130Ae	●	●	●	*	*	*	●	●	●	●							
	Brickcom FB-130Np	●	●	●	*	*	*	●	●	●	●							v3.1.0.9
	Brickcom FB-200Np	●	●	●	*	*	*	●	●	●	●							
	Brickcom FB-300Ap	●	●	●	*	*	*	●	●	●	●							
	Brickcom FB-300Np	●	●	●	*	*	*	●	●	●	●							v3.2.3.2C32
	Brickcom FB-500Ap	●	●	●	*	*	*	●	●	●	●							
	Brickcom FB-H200Np WDRPro	●	●	●	*	*	*	●	●	●	●							
	Brickcom FB-H300Np StarPlus	●	●	●	*	*	*	●	●	●	●							
	Brickcom FD-100Ae	●	●	●	*	*	*	●	●	●	●							
	Brickcom FD-100AP	●	●	*	*	*	●	●	●	●	●							
	Brickcom FD-130Ae	●	●	●	*	*	*	●	●	●	●							
	Brickcom FD-130Ap	●	●	●	*	*	*	●	●	●	●							v3.1.0.8
	Brickcom FD-130Np	●	●	●	*	*	●	●	●	●	●							
	Brickcom FD-131Af	●	●	●	*	*	*	●	●	●	●							v3.2.2.6
	Brickcom FD-200Ap	●	●	●	*	*	*	●	●	●	●							
	Brickcom FD-200NE	●	●	●	*	*	*	●	●	●	●							
	Brickcom FD-200Np	●	●	●	*	*	●	●	●	●	●							
	Brickcom FD-201Af	●	●	●	*	*	*	●	●	●	●							
	Brickcom FD-202Ap	●	●	●	*	*	*	●	●	●	●							
	Brickcom FD-202Np	●	●	●	*	*	*	●	●	●	●							
	Brickcom FD-300Ap	●	●	●	*	*	*	●	●	●	●							
	Brickcom FD-300Np	●	●	●	*	*	*	●	●	●	●							v3.1.0.9
	Brickcom FD-301Af	●	●	●	*	*	*	●	●	●	●							
	Brickcom FD-302Ap	●	●	●	*	*	*	●	●	●	●							
	Brickcom FD-500Ae	●	*	●	*	*	*	●	●	●	●							
	Brickcom FD-500Ap	●	●	●	*	*	●	●	●	●	●							

Brand	Camera Model	Compression				Zoom Control			Motion Detection	Digital Input	Audio (Besides HTTP)	Two-way Audio	Edge Record (RTSP)	Supported IVA	AI Search (Metadata)	Advanced Right-Click Menu	Camera Firmware/ Note
		MJPEG	MPEG-4	H.264	H.265	Pan/Tilt	Optical Zoom	Digital Zoom									
	Brickcom FD-501Af	●	●	●	*	*	●	●	●	●							
	Brickcom FD-502Ap	●	●	●	*	*	●	●	●	●							
	Brickcom GOB-100Ap	●	●	●	*	*	*	●	●	●						v3.1.0.9	
	Brickcom GOB-130Np	●	●	●	*	*	*	●	●	●							
	Brickcom GOB-132Np	●	●	●	*	*	*	●	●	●							
	Brickcom GOB-200Np	●	●	●	*	*	*	●	●	●							
	Brickcom GOB-300Ap	●	●	●	*	*	*	●	●	●							
	Brickcom GOB-300Np	●	●	●	*	*	*	●	●	●							
	Brickcom GOB-302Ap	●	●	●	*	*	*	●	●	●							
	Brickcom GOB-302Np	●	●	●	*	*	*	●	●	●							
	Brickcom GOB-500Ap	●	●	●	*	*	*	●	●	●							
	Brickcom GOB-502Ap	●	●	●	*	*	*	●	●	●							
	Brickcom MB-130Ap	●	●	●	*	*	*	●	●	●							
	Brickcom MB-200Ap	●	●	●	*	*	*	●	●	●							
	Brickcom MB-300Ap	●	●	●	*	*	*	●	●	●							
	Brickcom MB-500Ap	●	●	●	*	*	*	●	*	●							
	Brickcom MD-100Ae	●	●	●	*	*	*	●	●	*						v3.1.0.8	
	Brickcom MD-100Ap	●	●	●	*	*	*	●	●	*							
	Brickcom MD-200Ap	●	●	●	*	*	*	●	●	*							
	Brickcom MD-200Np	●	●	●	*	*	*	●	●	*						v3.2.2.7	
	Brickcom MD-200Np-S V2	●	●	●	*	*	*	●	●	*							
	Brickcom MD-300Ap	●	●	●	*	*	*	●	●	*							
	Brickcom MD-300Ap-360P (P)S	●	●	●	*	*	*	●	●	*							
	Brickcom MD-300Np	●	●	●	*	*	*	●	●	*						v3.2.2.7	
	Brickcom MD-300Np-360P (P)S	●	●	●	*	*	*	●	●	*						v3.2.2.7	
	Brickcom MD-500Ad	●	●	●	*	*	*	●	●	*							
	Brickcom MD-500Ap	●	●	●	*	*	*	●	●	*							
	Brickcom MD-500Ap-360P (P)S	●	●	●	*	*	*	●	●	*						v3.1.0.7	
	Brickcom MD-H600Np-360 DN	●	●	●	*	*	*	●	●	●							
	Brickcom MD-H600NP-360P SE (P)C(S)		*	●	●	*	*	*	●	●			5, 6, 7, 8			v3.5.0804.1004.195.1.31.0.2	
	Brickcom MD-H600p-360 (P)S	●	*	●	*	*	*	●	●	●							
	Brickcom OB-100Ae	●	●	●	*	*	*	●	●	●							
	Brickcom OB-100Ap	●	●	●	*	*	●	●	●	●							
	Brickcom OB-130Ae	●	●	●	*	*	*	●	●	●						v3.2.2.4	
	Brickcom OB-130Af	●	●	●	*	*	*	●	●	●							
	Brickcom OB-130Np	●	●	●	*	*	●	●	●	●							
	Brickcom OB-200Af	●	●	●	*	*	*	●	●	●							
	Brickcom OB-200Ap	●	●	●	*	*	*	●	●	●							
	Brickcom OB-200NE	●	●	●	*	*	*	●	●	●							
	Brickcom OB-200Nf	●	●	●	*	*	*	●	●	*							
	Brickcom OB-200Np	●	●	●	*	*	●	●	●	●							
	Brickcom OB-200Np-LR WDRPro-20X	●	●	●	*	●	●	●	●	●							
	Brickcom OB-202Ae	●	●	●	*	*	*	●	●	●							
	Brickcom OB-202Ap	●	●	●	*	*	*	●	●	●							
	Brickcom OB-202Ne	●	●	●	*	*	*	●	●	●							
	Brickcom OB-202Np	●	●	●	*	*	*	●	●	●							
	Brickcom OB-300Af	●	●	●	*	*	*	●	●	●							
	Brickcom OB-300Ap	●	●	●	*	*	*	●	●	●							
	Brickcom OB-300Ne	●	●	●	*	*	*	●	●	●							
	Brickcom OB-300Nf	●	●	●	*	*	*	●	●	*							
	Brickcom OB-300Np	●	●	●	*	*	●	●	●	●							
	Brickcom OB-302Ae	●	●	●	*	*	*	●	●	●							
	Brickcom OB-302Ap	●	●	●	*	*	*	●	●	●							
	Brickcom OB-302Ne	●	●	●	*	*	*	●	●	●							
	Brickcom OB-302Np	●	●	●	*	*	*	●	●	●							
	Brickcom OB-400Af	●	*	●	*	*	*	●	●	●							
	Brickcom OB-500Ae	●	*	●	*	*	*	●	●	●							

Brand	Camera Model	Compression				Zoom Control			Motion Detection	Digital Input	Audio (Besides HTTP)	Two-way Audio	Edge Record (RTSP)	Supported IVA	AI Search (Metadata)	Advanced Right-Click Menu	Camera Firmware/ Note
		MJPEG	MPEG-4	H.264	H.265	Pan/Tilt	Optical Zoom	Digital Zoom									
	Brickcom OB-500Af	●	●	●	*	*	*	●	●	●							
	Brickcom OB-500Ap	●	●	●	*	*	*	●	●	●							
	Brickcom OB-502Ae	●	●	●	*	●	*	●	●	*	●					v3.1.0.9	
	Brickcom OB-502Ap	●	●	●	*	●	*	●	●	*	●					v3.1.0.9	
	Brickcom OB-E200Af	●	●	●	*	*	*	●	●	*	●					v3.5.0.2	
	Brickcom OB-E200Nf	●	●	●	*	*	*	●	●	*	●					v3.5.0.2	
	Brickcom OB-E400Af	●	*	●	*	*	*	●	●	*	●						
	Brickcom OB-E500Nf SE		*	●	●	*	*	●	●	*	*					43.7.104.76-r3	
	Brickcom OB-H200Np WDRPro	●	●	●	*	*	*	●	●	●	●						
	Brickcom OB-H200NP-WDRPRO-H.265		*	●	●	●	●	●	●	●	●		5, 6, 7, 8			v3.5.0804.1004.195.1.31.7.1	
	Brickcom OSD-040D/E			●	*	●	●	●	●	●	●						
	Brickcom OSD-200A-20XP		*	●	●	●	●	●	●	●	●		5, 6, 7, 8			v3.5.0804.1004.195.1.31.7.1	
	Brickcom OSD-200AP	●	●	●	*	●	●	●	●	*	●					gk20130710NSA	
	Brickcom OSD-200Np 30X	●	●	●	*	●	●	●	●	●	●						
	Brickcom OSD-200Np-S 30X		*	●	●	●	●	*	*	●	●	●				7.3.3.587	
	Brickcom PH-100Ah Kit	●	●	●	*	*	*	●	●	●	●						
	Brickcom PZ-040D/E	●	●	●	*	*	*	●	●	●	●						
	Brickcom VD-100Ae	●	●	●	*	*	*	●	●	●	●						
	Brickcom VD-100Ap	●	●	●	*	*	*	●	●	●	●						
	Brickcom VD-130Ae	●	●	●	*	*	*	●	●	●	●						
	Brickcom VD-130Af	●	●	●	*	*	*	●	●	●	●						
	Brickcom VD-130Ap	●	●	●	*	*	*	●	●	●	●						
	Brickcom VD-130Np	●	●	●	*	*	●	●	●	●	●						
	Brickcom VD-131Af	●	●	●	*	*	*	●	●	●	●						
	Brickcom VD-132Np	●	●	●	*	*	*	●	●	●	●						
	Brickcom VD-200Af	●	●	●	*	*	*	●	●	*	●						
	Brickcom VD-200Ap	●	●	●	*	*	*	●	●	●	●						
	Brickcom VD-200NE	●	●	●	*	*	*	●	●	●	●						
	Brickcom VD-200Nf	●	●	●	*	*	*	●	●	*	●						
	Brickcom VD-200Np	●	●	●	*	*	●	●	●	●	●						
	Brickcom VD-201Af	●	●	●	*	*	*	●	●	●	●						
	Brickcom VD-202Ap	●	●	●	*	*	*	●	●	●	●						
	Brickcom VD-202Np	●	●	●	*	*	*	●	●	●	●						
	Brickcom VD-300Af	●	●	●	*	*	●	●	●	*	●						
	Brickcom VD-300Af-360P (P/S)	●	●	●	*	*	●	●	●	●	●						
	Brickcom VD-300Ap	●	●	●	*	*	●	●	●	●	●						
	Brickcom VD-300Nf	●	●	●	*	*	*	●	●	*	●					v3.2.2.7	
	Brickcom VD-300Nf-360P (P/S)	●	●	●	*	*	*	●	●	●	●						
	Brickcom VD-300Np	●	●	●	*	*	*	●	●	●	●						
	Brickcom VD-301Af	●	●	●	*	*	*	●	●	●	●						
	Brickcom VD-302Ap	●	●	●	*	*	*	●	●	●	●						
	Brickcom VD-302Ne	●	●	●	*	*	*	●	●	●	●						
	Brickcom VD-302Np	●	●	●	*	*	*	●	●	●	●						
	Brickcom VD-400Af	●	●	●	*	*	*	●	●	●	●						
	Brickcom VD-500Ae	●	*	●	*	*	*	●	●	●	●						
	Brickcom VD-500Af	●	●	●	*	*	●	●	●	*	●						
	Brickcom VD-500Af-360P (P/S)	●	●	●	*	*	*	●	●	●	●						
	Brickcom VD-500Ap	●	●	●	*	*	●	●	●	●	●						
	Brickcom VD-501Af	●	●	●	*	*	●	●	●	●	●						
	Brickcom VD-502Ae	●	*	●	*	*	*	●	●	●	●						
	Brickcom VD-502Ap	●	●	●	*	*	*	●	●	*	●						
	Brickcom VD-E200Af	●	●	●	*	*	*	●	●	●	●					v3.5.0.2	
	Brickcom VD-E200Nf	●	●	●	*	*	*	●	●	*	●					v3.5.0.2	
	Brickcom VD-E400Af	●	*	●	*	*	*	●	●	*	●						
	Brickcom VD-E400AP SE		*	●	●	*	●	●	●	●	●		5, 6, 7, 8			v3.5.0804.1004.195.1.31.7.1	
	Brickcom WCB-00Ap	●	●	●	*	*	*	●	●	●	●						
	Brickcom WCB-100Ae	●	●	●	*	*	*	●	●	*	●						

Brand	Camera Model	Compression				Zoom Control			Motion Detection	Digital Input	Audio (Besides HTTP)	Two-way Audio	Edge Record (RTSP)	Supported IVA	AI Search (Metadata)	Advanced Right-Click Menu	Camera Firmware/ Note
		MJPEG	MPEG-4	H.264	H.265	Pan/Tilt	Optical Zoom	Digital Zoom									
	Brickcom WCB-100Ae-VGA	●	●	●	*	*	*	●	●	*	●						
	Brickcom WCB-100Ap	●	●	●	*	*	*	●	●	*	●						
	Brickcom WCB-200AF	●	●	●	*	*	*	●	●	●	●						
	Brickcom WCB-200Ap	●	●	●	*	*	*	●	●	●	●						
	Brickcom WCB-300Ap	●	●	●	*	*	*	●	●	●	●						
	Brickcom WCB-500Ap	●	●	●	*	*	*	●	●	●	●						
	Brickcom WCB-502Ap	●	●	●	*	*	*	●	●	●	●						
	Brickcom WFB-100Ae	●	●	●	*	*	*	●	●	●	●						
	Brickcom WFB-100AP	●	●	●	*	*	*	●	●	●	●						
	Brickcom WFB-130Np	●	●	●	*	*	*	●	●	●	●						
	Brickcom WFB-300Ap	●	●	●	*	*	*	●	●	●	●						
	Brickcom WMB-130Ap	●	●	●	*	*	*	●	●	●	●						
	Brickcom WMB-200Ap	●	●	●	*	*	*	●	●	●	●						
	Brickcom WMB-300Ap	●	●	●	*	*	*	●	●	●	●						
	Brickcom WMB-500Ap	●	●	●	*	*	*	●	●	●	●						
	Brickcom WOB-100Ae	●	●	●	*	*	*	●	●	●	●						
	Brickcom WOB-100Ap	●	●	●	*	*	*	●	●	●	●						
	Brickcom WOB-130Np	●	●	●	*	*	*	●	●	●	●						
	Brickcom WOB-200Ap	●	●	●	*	*	*	●	●	●	●						
	Brickcom WOB-200Np	●	●	●	*	*	*	●	●	●	●						
	Brickcom WOB-300Ap	●	●	●	*	*	*	●	●	●	●						
	Brickcom WOB-300Np	●	●	●	*	*	*	●	●	●	●						
	Brickcom WOB-302Ap	●	●	●	*	*	*	●	●	●	●						
	Brickcom WOB-302Np	●	●	●	*	*	*	●	●	●	●						
	Brickcom WOB-500Ap	●	●	●	*	*	*	●	●	●	●						
	Brickcom WOB-502Ap	●	●	●	*	*	*	●	●	●	●						
	Brickcom Video Server																
	Brickcom VB-03	*	*	●	*	*	*	●	*	●	●					v3.2.3.4B	
	Brickcom VS-01Ap			●	*	*	*	●	●	*	●						
	Brickcom VS-04A			●	*	●	*	●	●	●	●					v3.5.2.22	
	Brickcom WVS-01Ap			●	*	*	*	●	●	*	●						
	Brickcom Joystick																
	Brickcom IP Desktop	*	*	*	*	●	●	*	*	*	*						
	Brickcom SMC-71	*	*	*	*	●	●	*	*	*	*						

Note:

1. More models are under integration and will be released soon.
2. Two-way audio: ACTi, AXIS, Brickcom, Canon, Hi-Sharp, Honeywell, Levelone, Milesight, Risk Captur, SONY, TOA (5-generation camera), VIVOTEK (LAN), WatchNet
3. Edge recording: ACTi, AXIS (H.264 only), Brickcom, Dynacolor, Honeywell, Hunt, SONY(H.264 only), VIVOTEK, WatchNet
4. VB Search supports Canon cameras listed in the compatible list except VB-C series.
5. Local liveview supports ImmerVersion engine codec of H.264 and MJPEG only.
6. For camera added via ONVIF protocol, please follow below steps to set up camera event (like motion detection, digital input, tampering detection) on DIGIEVER:
 - (1) On DIGIEVER NVR: Enable camera event on event and action management page.
 - (2) On camera webpage: Enable camera event on camera setting page
7. NVR supports H.264 and H.265 through ONVIF. For MJPEG format, please use Generic_MJPEG to add the camera.
8. NVR supports Honeywell IVA through ONVIF (by Model): Motion Detection, Advanced Motion Detection, Tampering Detection, Intrusion Detection, Loitering Detection, People Counting Threshold Notice
9. Cameras are not supported in Camera Digital Output in the Event & Action Management : Canon and TOA

Copyright © DIGIEVER Corporation All Rights Reserved

✘ **Camera IVA event support list:**

1. **Audio detection:** ACTi, Afidus, AXIS, Hanwha, Hi-Sharp, LevelOne
2. **Advanced motion detection:** ACTi, AXIS, Hanwha, Hitron, Honeywell, Milesight, WatchNet
3. **Human detection:** ACTi, Airflying, AXIS, Brickcom, Canon, Hanwha, Hikvision, Honeywell, Levelone, Milesight, Risk Captur, Sunell, WatchNet
4. **Cross line detection:** AXIS, Brickcom, Canon, Hanwha, Hikvision, Honeywell, Levelone, Milesight, Risk Captur, WatchNet
(Note: If camera resolution is higher than 4K, local display doesn't support tripwire.)
5. **Intrusion detection:** ACTi, AXIS, Brickcom (specific version), Hanwha, Hitron, Honeywell, Risk Captur, Sunell
6. **Loitering detection:** ACTi, AXIS, Brickcom (specific version), Hanwha, Honeywell, Milesight, Risk Captur, Sunell, WatchNet
7. **Foreign object detection:** ACTi, AXIS, Brickcom (specific version), Hitron

Brand	Camera Model	Compression				Zoom Control			Motion Detection	Digital Input	Audio (Besides HTTP)	Two-way Audio	Edge Record (RTSP)	Supported IVA	AI Search (Metadata)	Advanced Right-Click Menu	Camera Firmware/ Note
		MJPEG	MPEG-4	H.264	H.265	Pan/Tilt	Optical Zoom	Digital Zoom									

8. **Missing object detection:** ACTi, AXIS, Brickcom (specific version), Hitron

9. **People counting threshold alarm:** AXIS, Hanwha, Honeywell, Milesight, Risk Captur, Sunell, VIVOTEK, WatchNet

10. **Temperature detection:** Airflying, EOC, FLIR, Honeywell, Mobotix

11. **Camera tampering detection:** ACTi, AXIS, EOC, Hanwha, Hitron, Honeywell, LevelOne, Milesight, WatchNet

12. **Object Status Change:** Axis, Dahua