

DIGIEVER Network Camera Compatibility List

The list is applied for DIGIEVER NVR firmware 77-1 version or later

Update: May. 2024

- DIGIEVER NVR supports the camera feature
- Ⓟ 360° Panoramic
- ◆ Camera takes more than 1CH, needed to be added via video sever method
- 1. Audio Detection
- IVA Event No.: 2. Advanced Motion Detection
- 3. Human Detection
- 4. Cross Line Detection
- * Camera does not support the feature
- Ⓢ NVR support camera hardware dewarp
- 5. Intrusion Detection
- 6. Loitering Detection
- 7. Foreign Object Detection
- 8. Missing Object Detection
- Blank means the feature is NOT supported or verified by DIGIEVER
- Ⓢ NVR support camera software dewarp
- 9. People Counting Threshold Alarm
- 10. Temperature Detection
- 11. Camera Tampering Detection
- 12. Object Status Change

Supported in the NVR latest version

Copyright © DIGIEVER Corporation All Rights Reserved

* Please contact DIGIEVER sales for updated information

Brand	Camera Model	Compression				Zoom Control				Motion Detection	Digital Input	Audio (Besides HTTP)	Two-way Audio	Edge Record (RTSP)	Supported IVA	AI Search (Metadata)	Advanced Right-Click Menu	Camera Firmware/ Note
		MJPEG	MPEG-4	H.264	H.265	Pan/Tilt	Optical Zoom	Digital Zoom	Digital Zoom									
Panasonic	Panasonic cameras																	
	Panasonic AW-HE75	●	*	●	*	●	●	●	*	*	● (LD)							1.97
	Panasonic AW-HR140	●	*	●	*	●	●	●	*	*	●	*						V01.1300
	Panasonic BB-HCE481	●	*	*	*	●	●	●	*	*	*	*	*					V1.30
	Panasonic BB-HCM311	●	*	*	*	●	●	●	● (FTP)	*		*						Firmware(Application) 1.30 * Unchangeable FPS
	Panasonic BB-HCM331	●	*	*	*	●	●	●	● (FTP)	*		*						Firmware(Boot) 1.03 Firmware(Application) 1.30 * Unchangeable FPS
	Panasonic BB-HCM381	●	*	*	*	●	●	●	●	*	*							
	Panasonic BB-HCM511	●	●	*	*	●	●	●	●	●	*							3.60R00
	Panasonic BB-HCM515	●		*	*	●	●	●	●	●		*						Firmware(Boot) 3.11R01 Firmware(Application) 3.51R00
	Panasonic BB-HCM527	●	●	*	*	●	●	●	●	●	*							3.60R02
	Panasonic BB-HCM580	●	●	*	*	●	●	●	●	●	*	*						
	Panasonic BB-HCM581	●	●	*	*	●	●	●	●	●	*							3.60R00
	Panasonic BB-HCM705	●			*	●	●	●	●	●		*						Firmware(Boot) 4.11R03 Firmware(Application) 4.51R01
	Panasonic BB-HCM715	●			*	●	●	●	●	●	*	*						4.31R00
	Panasonic BB-HCM735	●	●	*	*	●	●	●	●	●	●	*						Firmware(Boot) 4.30R00 Firmware(Application) 4.51R01
	Panasonic BB-SC364	●	*	●	*	●	●	●	●	●	●	*						
	Panasonic BB-SC382	●	*	●	*	●	●	●	●	●	●	*						4.63
	Panasonic BB-SC384	●	●	●	*	●	●	●	●	●	●	*						1.51
	Panasonic BB-SC384A	●	*	●	*	●	●	*	●	●	●	*						
	Panasonic BB-SC384B	●	*	●	*	●	●	●	●	●	●	*						4.73
	Panasonic BB-SP104W	●	*	●	*	*	*	●	●	●	*	*	*					V4.74
	Panasonic BB-ST162	●	*	●	*	●	*	●	●	●	●	*						
	Panasonic BB-ST165	●	*	●	*	●	●	●	●	●	●	*						1.01
	Panasonic BB-ST165A	●	*	●	*	●	●	●	●	●	●	*						4.73
	Panasonic BB-SW172A	●	*	●	*	●	*	●	●	●	●	*						Application: 4.60, Image data: 1.06
	Panasonic BB-SW174WA		*	●	*	●	●	●	●	●	●	*						
	Panasonic BB-SW175A	●	*	●	*	●	●	●	●	●	●	*						Application: 4.73, Image data: 1.06
	Panasonic BL-VP104	●	*	●	*	*	*	●	●	●	*	*						
	Panasonic DG-NF282	●		*	*	*	*	●	●	●		*						1.61J0
	Panasonic DG-NP304	●		*	*	*	*	●	●	●		*						1.50J5_1.06
	Panasonic DG-NS202	●		*	*	●	●	●	●	●		*						2.74J0 Support 64 preset points
	Panasonic DG-NS202A	●		*	*	●	●	●	●	●		*						2.74J0 Support 64 preset points
	Panasonic DG-SC385	●	●	●	*	●	●	●	●	●	●	*						1.51
	Panasonic DG-SC386	●	●	●	*	●	●	●	●	●	●	*						
	Panasonic DG-SF334	●	●	●	*	*	*	●	●	●	●	*						Application: 1.35, Quality adjustment data: 1.06 MJPEG stream doesn't contain sound.
	Panasonic DG-SF335	●	●	●	*	*	*	●	●	●	●	*						Application: 2.01, Quality adjustment data: 1.06 MJPEG stream doesn't contain sound.
	Panasonic DG-SP102	●	*	●	*	*	*	●	●	●	*	*						1.46
	Panasonic DG-SP304	●	●	●	*	*	*	●	●	●	●	*						1.06

Brand	Camera Model	Compression				Zoom Control			Motion Detection	Digital Input	Audio (Besides HTTP)	Two-way Audio	Edge Record (RTSP)	Supported IVA	AI Search (Metadata)	Advanced Right-Click Menu	Camera Firmware/ Note
		MJPEG	MPEG-4	H.264	H.265	Pan/Tilt	Optical Zoom	Digital Zoom									
	Panasonic DG-SP305	●	●	●	*	*	*	●	●	●	*	*				V1.01	
	Panasonic DG-SP509	●	*	●	*	*	*	●	●	●	*	*					
	Panasonic DG-SW316	●	●	●	*	*	*	●	●	●	*	*					
	Panasonic DG-SW458	●	*	●	*	*	*	●	●	●	*	*					
	Panasonic DS-SW155	●	*	●	*	*	*	●	●	●	*	*					
	Panasonic KX-HCM130	●	*	*	*	●	*	●	*	*	*	*				1.8 * Unchangeable FPS	
	Panasonic KX-HCM180	●	*	*	*	●	●	●	●	*	*	*				1.83	
	Panasonic KX-HCM2	●	*	*	*	*	*	●	*	*	*	*				1.8 * Unchangeable FPS	
	Panasonic WV-NP502	●	●	●	*	*	*	●	●	●	*	*					
	Panasonic WV-S110V	●	*	●	●	*	*	●	●	●	*	*				4.5	
	Panasonic WV-S110VR	●	*	●	●	*	*	●	●	*	●	*					
	Panasonic WV-S110VRJ	●	*	●	●	*	*	●	●	*	●	*					
	Panasonic WV-S1111	●	*	●	●	*	*	●	●	●	●	*					
	Panasonic WV-S1111D	●	*	●	●	*	*	●	●	●	●	*					
	Panasonic WV-S1112	●	*	●	●	*	*	●	●	●	●	*					
	Panasonic WV-S1115V	●	*	●	●	*	*	●	●	*	●	*					
	Panasonic WV-S1116	●	*	●	●	*	*	●	●	●	●	*					
	Panasonic WV-S1116D	●	*	●	●	*	*	●	●	●	●	*					
	Panasonic WV-S1130	●	*	●	●	*	*	●	●	*	●	*					
	Panasonic WV-S1130V	●	*	●	●	*	*	●	●	*	●	*					
	Panasonic WV-S1130VR	●	*	●	●	*	*	●	*	*	●	*				4.02	
	Panasonic WV-S1130VRJ	●	*	●	●	*	*	●	●	*	●	*					
	Panasonic WV-S1131	●	*	●	●	*	*	●	●	●	●	*					
	Panasonic WV-S1135V	●	*	●	●	*	*	●	●	*	●	*					
	Panasonic WV-S1136	●	*	●	●	*	*	●	●	●	●	*					
	Panasonic WV-S1136J	●	*	●	●	*	*	●	●	●	●	*					
	Panasonic WV-S1510	●	*	●	●	*	*	●	●	*	*	*					
	Panasonic WV-S1511LDN	●	*	●	●	*	*	●	●	●	●	*					
	Panasonic WV-S1511LN	●	*	●	●	*	*	●	●	●	●	*					
	Panasonic WV-S1511LNJ	●	*	●	●	*	*	●	●	●	●	*					
	Panasonic WV-S1516L	●	*	●	●	*	*	●	●	●	●	*					
	Panasonic WV-S1516LD	●	*	●	●	*	*	●	●	●	●	*					
	Panasonic WV-S1516LDN	●	*	●	●	*	*	●	●	●	●	*					
	Panasonic WV-S1516LN	●	*	●	●	*	*	●	●	●	●	*					
	Panasonic WV-S1531LNJ	●	*	●	●	*	*	●	●	●	●	*					
	Panasonic WV-S1531LNS	●	*	●	●	*	*	●	●	●	●	*					
	Panasonic WV-S1531LNSJ	●	*	●	●	*	*	●	●	●	●	*					
	Panasonic WV-S1531LTN	●	*	●	●	*	*	●	●	●	●	*					
	Panasonic WV-S1531LTNJ	●	*	●	●	*	*	●	●	●	●	*					
	Panasonic WV-S1536	●	*	●	●	*	*	●	●	●	●	*					
	Panasonic WV-S1536L	●	*	●	●	*	*	●	●	●	●	*					
	Panasonic WV-S1536LN	●	*	●	●	*	*	●	●	●	●	*					
	Panasonic WV-S1536LNJ	●	*	●	●	*	*	●	●	●	●	*					
	Panasonic WV-S1536LT	●	*	●	●	*	*	●	●	●	●	*					
	Panasonic WV-S1536LTNJ	●	*	●	●	*	*	●	●	●	●	*					
	Panasonic WV-S1550L	●	*	●	●	*	*	●	●	●	●	*				4.3	
	Panasonic WV-S1570L	●	*	●	●	*	*	●	●	●	●	*				4.23	
	Panasonic WV-S2110	●	*	●	●	*	*	●	●	*	●	*					
	Panasonic WV-S2110J	●	*	●	●	*	*	●	●	*	●	*					
	Panasonic WV-S2110RJ	●	*	●	●	*	*	●	●	*	●	*					
	Panasonic WV-S2111L	●	*	●	●	*	*	●	●	●	●	*					
	Panasonic WV-S2111LD	●	*	●	●	*	*	●	●	●	●	*					
	Panasonic WV-S2115	●	*	●	●	*	*	●	●	*	●	*					
	Panasonic WV-S2116L	●	*	●	●	*	*	●	●	●	●	*					
	Panasonic WV-S2116LD	●	*	●	●	*	*	●	●	●	●	*					
	Panasonic WV-S2130	●	*	●	●	*	*	●	●	*	●	*					

Brand	Camera Model	Compression				Zoom Control			Motion Detection	Digital Input	Audio (Besides HTTP)	Two-way Audio	Edge Record (RTSP)	Supported IVA	AI Search (Metadata)	Advanced Right-Click Menu	Camera Firmware/ Note
		MJPEG	MPEG-4	H.264	H.265	Pan/Tilt	Optical Zoom	Digital Zoom									
	Panasonic WV-S2130RJ	●	*	●	●	*	*	●	●	*	●	*					
	Panasonic WV-S2131L	●	*	●	●	*	*	●	●	●	●	*					
	Panasonic WV-S2135	●	*	●	●	*	*	●	●	*	●	*				1.11	
	Panasonic WV-S2136	●	*	●	●	*	*	●	●	●	●	*					
	Panasonic WV-S2136L	●	*	●	●	*	*	●	●	●	●	*					
	Panasonic WV-S2136LJ	●	*	●	●	*	*	●	●	●	●	*					
	Panasonic WV-S2511LN	●	*	●	●	*	*	●	●	●	●	*					
	Panasonic WV-S2531LN	●	*	●	●	*	*	●	●	●	●	*					
	Panasonic WV-S2531LTN	●	*	●	●	*	*	●	●	●	●	*					
	Panasonic WV-S2536L	●	*	●	●	*	*	●	●	●	●	*					
	Panasonic WV-S2536LNJ	●	*	●	●	*	*	●	●	●	●	*					
	Panasonic WV-S2536LT	●	*	●	●	*	*	●	●	●	●	*					
	Panasonic WV-S2536LTNJ	●	*	●	●	*	*	●	●	●	●	*					
	Panasonic WV-S2570L	●	*	●	●	*	*	●	●	●	●	*				4.23	
	Panasonic WV-S3110	●	*	●	●	*	*	●	●	●	●	*				4.23	
	Panasonic WV-S3130	●	*	●	●	*	*	●	●	●	●	*				4.23	
	Panasonic WV-S3110J	●	*	●	●	*	*	●	●	*	●	*					
	Panasonic WV-S3130J	●	*	●	●	*	*	●	●	*	●	*					
	Panasonic WV-S3510	●	*	●	●	*	*	●	●	●	●	*				4.11	
	Panasonic WV-S3510J	●	*	●	●	*	*	●	●	*	●	*					
	Panasonic WV-S3530	●	*	●	●	*	*	●	●	●	●	*				4.11	
	Panasonic WV-S3530J	●	*	●	●	*	*	●	●	*	●	*				4.22	
	Panasonic WV-S4150 (P/S)	●	*	●	●	*	*	●	●	●	●	*				4.10	
	Panasonic WV-S4156 (P/S)	●	*	●	●	*	*	●	●	●	●	*				1.01	
	Panasonic WV-S4156J (P/S)	●	*	●	●	*	*	●	●	●	●	*					
	Panasonic WV-S4156LJ (P/S)	●	*	●	●	*	*	●	●	●	●	*				V2.00	
	Panasonic WV-S4176 (P/S)	●	*	●	●	*	*	●	●	●	●	*					
	Panasonic WV-S4176J (P/S)	●	*	●	●	*	*	●	●	●	●	*				2.00	
	Panasonic WV-S4550L (P/S)	●	*	●	●	*	*	●	●	●	●	*				4.22	
	Panasonic WV-S4556LJ (P/S)	●	*	●	●	*	*	●	●	●	●	*				V2.00	
	Panasonic WV-S4576LJ (P/S)	●	*	●	●	*	*	●	●	●	●	*				2.00 Due to camera design of H/265/H.264, please disable stream2 when stream1 is over 15fps. If stream2 is enabled, stream1 and stream2 will become 15fps, which is the same as camera design	
	Panasonic WV-S6110	●	*	●	●	●	●	●	●	●	●	*				4.1	
	Panasonic WV-S6111	●	*	●	●	●	●	●	●	●	●	*					
	Panasonic WV-S6130	●	*	●	*	●	●	●	●	●	●	*				4.91 *To use PTZ/ preset point function, please ensure camera authentication is in basic mode. V5.05	
	Panasonic WV-S6131	●	*	●	●	●	●	●	●	●	●	*					
	Panasonic WV-S6530	●	*	●	●	●	●	●	●	●	●	*				4.01	
	Panasonic WV-S6530N	●	*	●	●	●	●	●	●	●	●	*				4.01	
	Panasonic WV-S6530NJ	●	*	●	●	●	●	●	●	●	●	*				4.1	
	Panasonic WV-S6530NS	●	*	●	●	●	●	●	●	●	●	*				4.1	
	Panasonic WV-S6532L	●	*	●	●	●	●	●	●	●	●	*				1.01	
	Panasonic WV-S6532LNSJ	●	*	●	●	●	●	●	●	●	●	*					
	Panasonic WV-S8530N ◆	●	*	●	●	*	*	●	●	*	*	*				4.3	

Brand	Camera Model	Compression				Zoom Control			Motion Detection	Digital Input	Audio (Besides HTTP)	Two-way Audio	Edge Record (RTSP)	Supported IVA	AI Search (Metadata)	Advanced Right-Click Menu	Camera Firmware/ Note
		MJPEG	MPEG-4	H.264	H.265	Pan/Tilt	Optical Zoom	Digital Zoom									
Panasonic WV-SC384		●	●	●	*	●	●	●	●	●	*						
Panasonic WV-SC385		●	●	●	*	●	●	●	●	●	*						
Panasonic WV-SC386		●	●	●	*	●	●	●	●	●	*						
Panasonic WV-SF132		●	*	●	*	*	*	●	●	*	*						
Panasonic WV-SF135		●	*	●	*	*	*	●	●	*	*						
Panasonic WV-SF342		●	●	●	*	*	*	●	●	●	*						
Panasonic WV-SF346		●	●	●	*	*	*	●	●	●	*						
Panasonic WV-SF438	Ⓟ	●	*	●	*	*	*	●	●		*						
Panasonic WV-SFN130		●	*	●	*	*	*	●	●	*	*					4.3	
Panasonic WV-SFN310		●	*	●	*	*	*	●	●	●	*						
Panasonic WV-SFN311		●	*	●	*	*	*	●	●	●	*						
Panasonic WV-SFN480		●	*	●	*	*	●	●	●X3	●	*	*				V2.50 (1) Please set image capture mode on camera's WebUI first. Then, go to NVR's camera parameter to set up resolution/fps/bitrate. (2) NVR doesn't support "Quad streams" mode	
Panasonic WV-SFV110		●	*	●	*	*	*	●	●	*	*					4.3	
Panasonic WV-SP105		●	*	●	*	*	*	●	●	*	*						
Panasonic WV-SP105A		●	*	●	*	*	*	●	●	*	*					2.50	
Panasonic WV-SP508		●	*	●	*	*	*	●	●	*	*						
Panasonic WV-SP508E		●	*	●	*	*	*	●	●	●	*						
Panasonic WV-SP509		●	*	●	*	*	*	●	●	●	*						
Panasonic WV-SP509E		●	*	●	*	*	*	●	●	●	*						
Panasonic WV-SPN310		●	*	●	*	*	*	●	●	●	*						
Panasonic WV-SPN310V		●	*	●	*	*	*	●	●	●	*					1.87	
Panasonic WV-SPN311		●	*	●	*	*	*	●	●	●	*						
Panasonic WV-SPN531A		●	*	●	*	*	●	●	●X3	●	*	*				V2.50	
Panasonic WV-SPW311AL		●	*	●	*	*	●	●	●		*					2.01	
Panasonic WV-SPW611I		●	*	●	*	*	●	●	●		*					2.00	
Panasonic WV-ST162		●	*	●	*	●	*	●	●	●	*						
Panasonic WV-ST165		●	*	●	*	●	*	●	●	●	*						
Panasonic WV-SUD638		●	*	●	*	●	●	●	*	●	*				Wiper, IR (optoinal)	4.8	
Panasonic WV-SW152		●	*	●	*	*	*	●	●	*	*						
Panasonic WV-SW155		●	*	●	*	*	*	●	●	*	*						
Panasonic WV-SW172		●	*	●	*	●	*	●	●	●	*						
Panasonic WV-SW174W		●	*	●	*	●	*	●	●	●	*						
Panasonic WV-SW314		●	●	●	*	*	*	●	●	*	*						
Panasonic WV-SW316		●	●	●	*	*	*	●	●	●	*						
Panasonic WV-SW316L		●	●	●	*	*	*	●	●	●	*						
Panasonic WV-SW352		●	●	●	*	*	*	●	●	●	*						
Panasonic WV-SW355		●	●	●	*	*	*	●	●	●	*						
Panasonic WV-SW395		●	●	●	*	●	●	●	●	●	*						
Panasonic WV-SW396		●	●	●	*	●	●	●	●	●	*						
Panasonic WV-SW598		●	*	●	*	●	●	●	●	●	*						
Panasonic WV-U1114J		●	*	*	●	*	*	*	*	*	*					1.02	
Panasonic WV-U1113AJ		●	*	●	●	*	*	●	●	●	*	*				2.00 Due to camera design of H/265/H.264, please disable stream2 when stream1 is over 15fps. If stream2 is enabled, stream1 and stream2 will become 15fps, which is the same as camera design	
Panasonic WV-U1114AJ		●	*	●	●	*	*	●	●	●	*	*				2.00 Due to camera design of H/265/H.264, please disable stream2 when stream1 is over 15fps. If stream2 is enabled, stream1 and stream2 will become 15fps, which is the same as camera design	
Panasonic WV-U1133AJ		●	*	●	●	*	*	●	●	●	*	*				2.00 Due to camera design of H/265/H.264, please disable stream2 when stream1 is over 15fps. If stream2 is enabled, stream1 and stream2 will become 15fps, which is the same as camera design	
Panasonic WV-U1133J		●	*	*	●	*	*	*	*	*	*	*				1.02	
Panasonic WV-U1134AJ		●	*	●	●	*	*	●	●	●	*	*				2.00 Due to camera design of H/265/H.264, please disable stream2 when stream1 is over 15fps. If stream2 is enabled, stream1 and stream2 will become 15fps, which is the same as camera design	

Brand	Camera Model	Compression				Zoom Control			Motion Detection	Digital Input	Audio (Besides HTTP)	Two-way Audio	Edge Record (RTSP)	Supported IVA	AI Search (Metadata)	Advanced Right-Click Menu	Camera Firmware/ Note
		MJPEG	MPEG-4	H.264	H.265	Pan/Tilt	Optical Zoom	Digital Zoom									
	Panasonic WV-U1134J	●	*	*	●	*	*	●	*	*	*	*				1.00	
	Panasonic WV-U1533AJ	●	*	●	●	*	*	●	●	●	*	*				2.00 Due to camera design of H/265/H.264, please disable stream2 when stream1 is over 15fps. If stream2 is enabled, stream1 and stream2 will become 15fps, which is the same as camera design	
	Panasonic WV-U1533J	●	*	*	●	*	*	●	*	*	*	*				1.00	
	Panasonic WV-U2114J	●	*	*	●	*	*	*	*	*	*	*				1.02	
	Panasonic WV-U2114AJ	●	*	●	●	*	*	●	●	●	*	*				2.00 Due to camera design of H/265/H.264, please disable stream2 when stream1 is over 15fps. If stream2 is enabled, stream1 and stream2 will become 15fps, which is the same as camera design	
	Panasonic WV-U2134AJ	●	*	●	●	*	*	●	●	●	*	*				2.00 Due to camera design of H/265/H.264, please disable stream2 when stream1 is over 15fps. If stream2 is enabled, stream1 and stream2 will become 15fps, which is the same as camera design	
	Panasonic WV-U2134J	●	*	*	●	*	*	●	*	*	*	*				1.00	
	Panasonic WV-X4171 (P S)	●	*	●	●	*	*	●	●	●	●	*				4.3	
	Panasonic WV-X6511NJ		*	●	●	●	●	●	●	●	●	*					
	Panasonic WV-X6530NJ		*	●	●	●	●	●	●	●	●	*					
	Panasonic WV-X6530NS		*	●	●	●	●	●	●	●	●	*					
	Panasonic WV-X6531NJ		*	●	●	●	●	●	●	●	●	*					
	Panasonic WV-X6531NS		*	●	●	●	●	●	●	●	●	*					
	Panasonic WV-X6533LNJ	●	*	●	●	●	●	●	●	●	●	*				4.20	
	Panasonic WV-X6533LNSJ	●	*	●	●	●	●	●	●	●	●	*					
	Panasonic WV-X8570N ◆	●	*	●	●	*	*	●	●	●	●	*				4.2	
DIGIEVER NVR supports Panasonic cameras with Generic RTSP method																	
URL		Generic RTSP															
Panasonic AW-UE50		MediaInput/h264/stream_1															
Panasonic Video Server																	
	Panasonic DG-GXE500 (4ch)	●	●	●	*	*	*	●			●	*				1.1 MJPEG stream doesn't contain sound. In H.264 and MJPEG format, video server needs to be in the same resolution.	
	Panasonic WJ-GXE500 (4ch)	●	*	●	*	*	*	●	●		●	*				1.03 Supported camera mode: VGA [4:3] for 640x480, 320x240 *Model Name will show "i-Pro".	
Panasonic Camera Recorder (Support audio format: AAC)																	
	Panasonic AG-UMR20		*	●	*	*	*	●	*	*	●	*				1.11-00-0.00	

Note:

- More models are under integration and will be released soon.
- Two-way audio: ACTi, AXIS, Brickcom, Canon, Hi-Sharp, Honeywell, Levelone, Milesight, Risk Captur, SONY, TOA (5-generation camera), VIVOTEK (LAN), WatchNet
- Edge recording: ACTi, AXIS (H.264 only), Brickcom, Dynacolor, Honeywell, Hunt, SONY(H.264 only), VIVOTEK, WatchNet
- VB Search supports Canon cameras listed in the compatible list except VB-C series.
- Local liveview supports ImmerVersion engine codec of H.264 and MJPEG only.
- For camera added via ONVIF protocol, please follow below steps to set up camera event (like motion detection, digital input, tampering detection) on DIGIEVER:
 - On DIGIEVER NVR: Enable camera event on event and action management page.
 - On camera webpage: Enable camera event on camera setting page
- NVR supports H.264 and H.265 through ONVIF. For MJPEG format, please use Generic_MJPEG to add the camera.
- NVR supports Honeywell IVA through ONVIF (by Model): Motion Detection, Advanced Motion Detection, Tampering Detection, Intrusion Detection, Loitering Detection, People Counting Threshold Notice
- Cameras are not supported in Camera Digital Output in the Event & Action Management : Canon and TOA

Copyright © DIGIEVER Corporation All Rights Reserved

✘ Camera IVA event support list:

- Audio detection:** ACTi, Afidus, AXIS, Hanwha, Hi-Sharp, LevelOne
- Advanced motion detection:** ACTi, AXIS, Hanwha, Hitron, Honeywell, Milesight, WatchNet
- Human detection:** ACTi, Airflying, AXIS, Brickcom, Canon, Hanwha, Hikvision, Honeywell, Levelone, Milesight, Risk Captur, Sunell, WatchNet
- Cross line detection:** AXIS, Brickcom, Canon, Hanwha, Hikvision, Honeywell, Levelone, Milesight, Risk Captur, WatchNet
(Note: If camera resolution is higher than 4K, local display doesn't support tripwire.)
- Intrusion detection:** ACTi, AXIS, Brickcom (specific version), Hanwha, Hitron, Honeywell, Risk Captur, Sunell
- Loitering detection:** ACTi, AXIS, Brickcom (specific version), Hanwha, Honeywell, Milesight, Risk Captur, Sunell, WatchNet
- Foreign object detection:** ACTi, AXIS, Brickcom (specific version), Hitron
- Missing object detection:** ACTi, AXIS, Brickcom (specific version), Hitron
- People counting threshold alarm:** AXIS, Hanwha, Honeywell, Milesight, Risk Captur, Sunell, VIVOTEK, WatchNet
- Temperature detection:** Airflying, EOC, FLIR, Honeywell, Mobotix
- Camera tampering detection:** ACTi, AXIS, EOC, Hanwha, Hitron, Honeywell, LevelOne, Milesight, WatchNet
- Object Status Change:** Axis, Dahua